

EAST SEARCH

2/10/06

L#	Hits	Search String	Databases
S1	977	predict\$3 with model\$1 with ((control near2 system\$1) or controller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S2	118	S1 and (plurality or multiple) near2 model\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S3	117	S1 and ((smart or intelligent or learning) with ((control near2 system\$1) or controller\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S4	210	S2 or S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S5	39	S4 and (actuator\$1 with sensor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S6	97	S4 and (weight\$3 with ((control near2 system\$1) or controller\$1 or model\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S7	25	S2 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S8	11	S4 and (evaluat\$3 with model\$1 with ((control near2 system\$1) or controller\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S9	16	S4 and (weight\$3 with initial\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S11	39	S4 and ((predict\$3 or forecast\$3) with (future near2 state\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S12	13	S4 and (repeat\$3 with predict\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S13	100	S4 and (predict\$3 with error\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S14	68	S6 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S15	140	S5 or S6 or S7 or S8 or S9 or S10 or S11 or S12 or S13 or S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S17	13	S4 and (weight\$3 with (fraction or part))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S18	20	S4 and (weight\$3 with (invest\$3 or modify\$3 or modification\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S19	977	predict\$3 with model\$1 with ((control near2 system\$1) or controller\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S20	118	S17 and ((plurality or multiple) near2 model\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S21	117	S17 and ((smart or intelligent or learning) with ((control near2 system\$1) or controller\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S22	210	S18 or S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S23	39	S20 and (actuator\$1 with sensor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S24	97	S20 and (weight\$3 with ((control near2 system\$1) or controller\$1 or model\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S25	25	S18 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S26	11	S20 and (evaluat\$3 with model\$1 with ((control near2 system\$1) or controller\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S27	16	S20 and (weight\$3 with initial\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S28	13	S20 and (weight\$3 with (fraction or part))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S29	39	S20 and ((predict\$3 or forecast\$3) with (future near2 state\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S30	20	S20 and (weight\$3 with (invest\$3 or modify\$3 or modification\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S31	13	S20 and (repeat\$3 with predict\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S32	100	S20 and (predict\$3 with error\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S33	68	S22 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S34	140	S21 or S22 or S23 or S24 or S25 or S26 or S27 or S28 or S29 or S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S35	3	S32 and (sum with weight\$1 with (one or "1"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S36	2	S20 and (fraction\$1 with weight\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S37	11	S17 and (fraction\$1 with weight\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S38	2	S17 and (error with (deviation or variance) with weight\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

S39	1	S17 and (error with ((control or actuating) near2 signal) with weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S40	2	5,602,761.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S41	1	S38 and (noise near2 variance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S42	2	4,775,949.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S43	1	S40 and (noise near2 variance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S44	2	4,771,250.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S45	1	S43 and (noise near2 variance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S46	382377	700/("28", "44", "45", "30", "31").ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S47	5687	S45 and ((multiple or plurality) with models)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S16	1076	S46 and ((predict\$3 or forecast\$3) with models)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S48	205	S47 and (weight\$3 with model\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S49	259	S45 and ((multiple or plurality) with (predict\$3 or forecast\$3) with models)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S50	61	S49 and (weight\$3 with model\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S51	383172	700/("28", "44", "45", "30", "31").ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S52	261	S51 and ((multiple or plurality) with (predict\$3 or forecast\$3) with models)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S53	61	S52 and (weight\$3 with model\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S54	42	S52 and (weight\$3 with (adapt\$3 or modif\$4 or chang\$3 or increas\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S10	392	S51 and ((consensus or combination) near2 (predict\$3 or forecast\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S55	73	S55 and (weight\$3 with (adapt\$3 or modif\$4 or chang\$3 or increas\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S56	130	S55 and ((accuracy or error\$1 or ability) near2 (predict\$3 or forecast\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S57	24	S56 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S58	57	S51 and ((consensus) near2 (predict\$3 or forecast\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S59	8	S59 and (weight\$3 with (adapt\$3 or modif\$4 or chang\$3 or increas\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S60	8	S59 and ((accuracy or error\$1 or ability) near2 (predict\$3 or forecast\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S61	15	S60 or S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S62	212	(consensus near2 (predict\$3 or forecast\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S63	0	S63 and (investing near2 fraction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S64	3	(investing near2 fraction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S65	10	6,119,052.pn. or "6,027,112".pn. or "6,039,316".pn. "6,568,592".pn. or "6,834,811".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S66	6	2003002447 or "20030028275" or "20030127616"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S67	985	((plurality or multiple) near2 model\$1) with control\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S68	24	S68 and (weight\$1 with model\$1 with control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S69	71	S68 and (weight\$1 with model\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

09/973786

Warren Jackson et al.

EAST SEARCH

2/10/06

Results of search set S47

Document Kind Codes Title

US 20050168973 A1 Artificial miniature, landscape model with three dimensionally variable colored LEDs

Issue Date 20050804 362/122
Current OR Abstract

US 20050149209 A1	Adaptive multivariable process controller using model switching and attribute interpolation	20050707 700/30
US 20050128138 A1	Multiple model radar tracking filter and systems and methods employing same	20050616 342/195
US 20050108180 A1	Automatic working system	20050519 706/46
US 20050075875 A1	Data process unit and data process unit control program	20050407 704/231
US 20050075738 A1	Integrated optimization and control using modular model predictive controller	20050407 700/44
US 20050054450 A1	Remote control toy system, and controller, model and accessory device to be used in the same	20050310 463/58
US 20050050532 A1	Method, apparatus and computer program for compiling program using statistical information	20050303 717/158
US 20050049761 A1	Vibration control apparatus for automotive vehicle	20050303 701/1
US 20050020784 A1	Process for preparing polyethylene	20050127 526/64
US 20040256152 A1	Real-time drilling optimization based on MWD dynamic measurements	20041223 175/25
US 20040225383 A1	Method for Design of Multi-objective Robust Controllers	20041111 700/29
US 20040208341 A1	System and method for tracking a global shape of an object in motion	20041021 382/103
US 20040199481 A1	Bayesian neural networks for optimization and control	20041007 706/21
US 20040155142 A1	SYSTEM AND METHOD FOR PERIODICALLY ADAPTIVE GUIDANCE AND CONTROL	20040812 244/3.11
US 20040123600 A1	ADAPTIVE MODEL-BASED CONTROL SYSTEMS AND METHODS FOR CONTROLLING A	20040701 60/773
US 20040083028 A1	Process control using on-line instrumentation and process models	20040429 700/269
US 20030195641 A1	State based adaptive feedback feedforward PID controller	20031016 700/42
US 20030149603 A1	System and method for operating a non-linear model with missing data for use in electronic control	20030807 705/7
US 20030140023 A1	System and method for pre-processing input data to a non-linear model for use in electronic control	20030724 706/21
US 20030120360 A1	Plant control apparatus	20030626 700/29
US 20030107514 A1	Method and apparatus for saving power in a global positioning system receiver	20030612 342/357.06
US 20030100972 A1	Reusable software components for invoking computational models	20030529 700/121
US 20030088565 A1	Method and system for mining large data sets	20030508 707/6
US 20030088322 A1	Kiln thermal and combustion control	20030508 700/53
US 20030074166 A1	Learning systems and methods for market-based control of smart matter	20030417 703/2
US 20030065409 A1	Adaptively detecting an event of interest	20030403 700/31
US 20030060945 A1	Vertical motion detector for air traffic control	20030327 701/4
US 20030046130 A1	System and method for real-time enterprise optimization	20030306 705/7
US 20020181799 A1	Dynamically reconfigurable signal processing circuit, pattern recognition apparatus, and image	20021205 382/260
US 20020090134 A1	System and method for providing a scalable objective metric for automatic video quality evaluation	20020711 382/181
US 20020071614 A1	System and method for providing a scalable dynamic objective metric for automatic video quality	20020613 382/278
US 20020042867 A1	Vibration exciting apparatus and vibration testing system for structure using it	20020411 700/280
US 20010014834 A1	Adaptation to unmeasured variables	20010816 700/29
US 6876381 B2	System and method for providing a scalable objective metric for automatic video quality evaluation	20050405 348/180
US 6845938 B2	System and method for periodically adaptive guidance and control	20050125 244/3.11
US 6823675 B2	Adaptive model-based control systems and methods for controlling a gas turbine	20041130 60/773
US 6812887 B2	Method and apparatus for saving power in a global positioning system receiver	20041102 342/357.12
US 6807448 B1	Weight identification method and feedback control method	20041019 700/28
US 6798919 B2	System and method for providing a scalable dynamic objective metric for automatic video quality	20040928 382/272
US 6795794 B2	Method for determination of spatial target probability using a model of multisensory processing	20040921 702/181
US 6745087 B2	Method for control of a plant	20040601 700/29
US 6725208 B1	Bayesian neural networks for optimization and control	20040420 706/23
US 6721668 B1	Vibration exciting apparatus and vibration testing apparatus for structure using same	20040413 702/54

US 6609238 B1	Method of control cell placement to minimize connection length and cell delay	20030819 716/10
US 6604028 B2	Vertical motion detector for air traffic control	20030805 701/4
US 6600485 B1	Polygon data generation method and image display apparatus using same	20030729 345/419
US 6577908 B1	Adaptive feedback/feedforward PID controller	20030610 700/42
US 6575037 B2	Multiple degree of freedom vibration exciting apparatus and system	20030610 73/633
US 6560500 B2	Method and apparatus for manufacturing objects having optimized response characteristics	20030506 700/98
US 6532454 B1	Stable adaptive control using critic designs	20030311 706/14
US 6404581 B1	Adaptation to unmeasured variables	20020611 360/75
US 6373033 B1	Model-based predictive control of thermal processing	20020416 219/497
US 6310619 B1	Virtual reality, tissue-specific body model having user-variable tissue-specific attributes and a s	20011030 345/420
US 6230062 B1	Adaptation to unmeasured variables	20010508 700/29
US 6207936 B1	Model-based predictive control of thermal processing	20010327 219/497
US 5930284 A	Multiple input electrode gap controller	19990727 373/50
US 5892691 A	Method, apparatus, and software product for generating weighted deformations for geometric i	19990406 703/6
US 5774633 A	Supporting neural network method for process operation	19980630 706/25
US 5745580 A	Reduction of computational burden of adaptively updating control filter(s) in active systems	19980428 381/71.1
US 5546312 A	Use of spatial models for simultaneous control of various non-uniformity metrics	19960813 700/97
US 5522798 A	Control of a multi-channel drug infusion pump using a pharmacokinetic model	19960604 604/65
US 5475842 A	Method of compilation optimization using an N-dimensional template for relocated and replicat	19951212 717/160
US 5408405 A	Multi-variable statistical process controller for discrete manufacturing	19950418 700/31
US 5281179 A	Toy aircraft capable of circling in changeable radius	19940125 446/68
US 5272723 A	Waveform equalizer using a neural network	19931221 375/232
US 5010473 A	Method and apparatus for model-based control of an open-loop process	19910423 700/30
US 4623108 A	Airplane	19861118 244/13
US 20050128138 A	Multiple model radar tracking filter for radar system, has feed back loop to provide feedback si	20050616
EP 531712A2, A3, B1	Flight controller config. neuronal network - is formed by training network as dynamic model of ri	19930414
SU 1246110 A	Graph modelling circuit - has control unit based on logic gates to enable multiple branch model	19860723 NA